

Message

From: CARR, ROBERT [Carr.Robert@epa.gov]
Sent: 3/18/2013 10:00:40 PM
To: MALDONADO, LEWIS [Maldonado.Lewis@epa.gov]; Chesnutt, John [Chesnutt.John@epa.gov]; Cooper, Craig [Cooper.Craig@epa.gov]
Subject: FW: RMP, CRUP and RTCs
Attachments: draft RMP with all appendices 031513.pdf; Draft RMP - CRUP RTC Matrix 031513.pdf; Lennar_HPS_Draft Parcel B CRUP031513_Redline.doc; Lennar_HPS_Draft Parcel B CRUP031513_clean.doc

Ex. 5 AC/DP

415 972 3913
FAX 415 947 3570/71

NOTICE: ENFORCEMENT CONFIDENTIAL AND/OR ATTORNEY CLIENT PRIVILEGED/DO NOT RELEASE UNDER FOIA
This message and its attachments may contain information that is privileged, confidential or otherwise exempt from disclosure. If you are not the named addressee, you are not authorized to read, print, retain, copy or disseminate this message or any part of it.

-----Original Message-----

From: Amy Brownell [mailto:Amy.Brownell@sfdph.org]
Sent: Monday, March 18, 2013 1:48 PM
To: CARR, ROBERT; Isabella.alasti@dtsc.ca.gov; ANauble@waterboards.ca.gov; rex.callaway@navy.mil; john.cummins@navy.mil; john.m.hill@navy.mil; debra.theroux@navy.mil; keith.s.forman@navy.mil; melanie.kito@navy.mil; RSteenenson@waterboards.ca.gov; Cooper, Craig; RMIya@dtsc.ca.gov; TLow@waterboards.ca.gov; Leslie.Lundgren@CH2M.com
Cc: dshipman@Langan.com; sreinis@Langan.com; csimmons@langan.com; rbrandt@geosyntec.com; stephen.proud@lennar.com; JAustin@Geosyntec.com; dharme@prudentweb.com; Wells Lawson; Thor Kaslofsky; gordonhart@paulhastings.com; Barry.Steinberg@KutakRock.com; Elaine Warren; colinbarreno@paulhastings.com; Charles Sullivan; george.schlossberg@kutakrock.com
Subject: RMP, CRUP and RTCs

Hi everybody:

It's time to pick up the RMP and CRUP again.

Attached are
the revised versions of those two documents including appendices and
RTCs to your comments on the February 2012 version.

For the CRUP:
attached is a redline strikeout compared to the February 2012 draft and
a clean version
Currently, It is written specifically for Parcel B. Once we agree to
the over-arching elements, we would like to use it as a model for all
the upcoming "free-release" parcel transfers

For the RMP:
we did not include a redline strikeout because we would prefer for
everyone to take a fresh look at this document in light of all the
changes
It is written generically so that it can be used for all free release
parcels.
It is also written anticipating the conditions at the moment of transfer
which is when the RMP will become a governing document. For example, the
durable cover will have already been installed by Navy. Please keep that
concept in mind while reading.
As each parcel is ready for transfer, we'll just need to add the
specific parcel details to Section 2.0 Environmental Conditions and
update Figure One and Appendix B

We request that you send comments back by May 13.
Let us know if you need more time.

We would also be happy to schedule a meeting to discuss if that would assist you in your review. Let us know.

thanks,
Amy Brownell, P.E.
San Francisco Health Department
1390 Market St., Suite 410
San Francisco, CA 94102
415-252-3967
fax 415-252-3889
amy.brownell@sfdph.org

(See attached file: draft RMP with all appendices 031513.pdf)

(See attached file: Draft RMP - CRUP RTC Matrix 031513.pdf) (See attached file: Lennar_HPS_Draft Parcel B CRUP031513_Redline.doc)(See attached file: Lennar_HPS_Draft Parcel B CRUP031513_clean.doc)